

HOLY TRINITY C of E PRIMARY SCHOOL

Benner Lane, West End, Woking, Surrey, GU24 9JQ

Executive Head: Mr J Hills

ASTHMA POLICY

Policy Type:	Non-statutory
roncy rype.	Non statutory
Policy Origin:	School Bus Model
	Allergy & Lung UK
Approved by:	LAB
Last Reviewed:	December 2023
LAB Accepted:	January 2024
Next Review:	Spring 2025
Next Review.	5pmg 2025
Summary of changes:	Works alongside Supporting Pupils with Medical
	Conditions
	First Aid Policy

Contents:

Statement of intent

- 1. Legal framework
- 2. <u>Roles and responsibilities</u>
- 3. <u>Asthma medicines</u>
- 4. Emergency inhaler
- 5. Symptoms of an asthma attack
- 6. <u>Response to an asthma attack</u>
- 7. <u>Emergency procedures</u>
- 8. <u>Record keeping</u>
- 9. Exercise and physical activity
- 10. Monitoring and review

Appendices

A. School Asthma Card

Statement of intent

Holy Trinity CofE Primary School recognises that asthma is a serious but controllable condition and welcomes all pupils with asthma. This policy sets out how the school ensures that pupils with asthma can participate fully in all aspects of school life including physical exercise, school trips and other out-of-school activities. It also covers how the school enables pupils with asthma to manage their condition effectively in school, including ensuring immediate access to reliever inhalers where necessary.

1. Legal framework

This policy has due regard to all relevant legislation and statutory guidance including, but not limited to, the following:

- Equality Act 2010
- DfE (2015) 'Supporting pupils at school with medical conditions'
- Asthma UK (2020) 'Asthma at school and nursery'
- DfE (2022) 'First aid in schools, early years and further education'

This policy operates in conjunction with the following school policies:

- Complaints Policy Supporting Pupils with Medical Conditions Policy
- First Aid Policy

2. Roles and responsibilities

The Local Academy Board has a responsibility to:

- Ensure the health and safety of staff and pupils is protected on the school premises and when taking part in school activities.
- Ensure that this policy, as written, does not discriminate against any of the protected characteristics, in line with the Equality Act 2010.
- Handle complaints regarding this policy as outlined in the school's Complaints Policy.
- Ensure this policy is effectively monitored and updated.
- Report any successes and failures of this policy to the headteacher, members of school staff, local health authorities, parents and pupils.
- Provide indemnity for teachers and other members of school staff who volunteer to administer medicine to pupils with asthma in need of help.

The headteacher has a responsibility to:

- Create and implement this policy with the help of school staff, school nurses, local guidance and the Local Academy Board.
- Ensure this policy is effectively implemented and communicated to all members of the school community.
- Arrange for all members of staff to receive training on supporting pupils with asthma. Ensure all supply teachers and new members of staff are made aware of this policy and provided with appropriate training.
- Monitor the effectiveness of this policy.
- Ensure that first aiders are appropriately trained regarding asthma, e.g. supporting pupils to take their own medication and caring for pupils who are having asthma attacks.
- Delegate the responsibility to check the expiry date of spare reliever inhalers and maintain the school's asthma register to a designated member of staff.
- Report incidents and other relevant information to the governing board and LA as necessary.

All school staff have a responsibility to:

- Read and understand this policy.
- Know which pupils they come into contact with have asthma.
- Know what to do in the event of an asthma attack.
- Allow pupils with asthma immediate access to their reliever inhaler.
- Inform parents if their child has had an asthma attack.
- Inform parents if their child is using their reliever inhaler more than usual.
- Ensure pupils with asthma have their medication with them on school trips and during activities outside of the classroom.
- Ensure pupils who are unwell due to asthma are allowed the time and resources to catch up on missed school work.
- Be aware that pupils with asthma may experience tiredness during the school day due to their night-time symptoms.
- Be aware that pupils with asthma may experience bullying due to their condition, and understand how to manage these instances of bullying.
- Make contact with parents, the school nurse and the SENCO if a pupil is falling behind with their school work because of their asthma.

Any staff teaching PE have a responsibility to:

- Understand asthma and its impact on pupils pupils with asthma should not be forced to take part in activities if they feel unwell.
- Ensure pupils are not excluded from activities that they wish to take part in, provided their asthma is well-controlled.
- Ensure pupils have their reliever inhaler with them during physical activity and that they are allowed to use it when needed.
- Allow pupils to stop during activities if they experience symptoms of asthma.
- Allow pupils to return to activities when they feel well enough to do so and their symptoms have subsided (the school recommends a waiting period before allowing the pupil to return).
- Remind pupils with asthma whose symptoms are triggered by physical activity to use their reliever inhaler before exercise.
- Remind pupils with asthma whose symptoms are triggered by cold and damp conditions to consider wearing a scarf wrapped loosely around their nose and mouth to warm the air that they breathe.

Pupils with asthma have a responsibility to:

- Tell their teacher or parent if they are feeling unwell due to their asthma.
- Treat the school's and their own asthma medicines with respect by not misusing the medicines and/or inhalers.
- Know how to gain access to their medication in an emergency.
- Know how to take their asthma medicine.

All other pupils have a responsibility to:

- Treat other pupils, with or without asthma, equally, in line with the school's Behaviour Policy.
- Understand that asthmatic pupils will need to use a reliever inhaler when having an asthma attack and ensure a member of staff is called immediately.

Parents have a responsibility to:

- Inform the school if their child has asthma.
- Ensure the school has a complete and up-to-date asthma card for their child.
- Inform the school of the medication their child requires during school hours.
- Inform the school of any medication their child requires during school trips, team sports events and other out-of-school activities.
- Inform the school of any changes to their child's medicinal requirements.
- Inform the school of any changes to their child's asthmatic condition, e.g. if their child is currently experiencing sleep problems due to their condition.
- Ensure their child's reliever inhaler (and spacer where relevant) is labelled with their child's name.
- Ensure that their child's reliever inhaler and spare inhaler are within their expiry dates.
- Ensure their child catches up on any school work they have missed due to problems with asthma.
- Ensure their child has regular asthma reviews with their doctors or asthma nurse (recommended every 6-12 months).

3. Asthma medicines

Pupils with asthma will know the location of their inhalers. These are kept in the child's classroom in an individual named zipped storage bag, which is stored within the class red inhaler bag. The class red inhaler bag will be taken outside at lunchtimes by the midday supervisors and returned to class at the end of lunchtime. It will also be taken outside for any PE lessons or outside activities in order that it is accessible by the pupil.

Parents will be required to label their child's inhaler with the child's full name and year group. Parents will ensure that the school is provided with a labelled spare reliever inhaler, in case their child's inhaler runs out, or is lost or forgotten.

Members of staff are not required to administer medicines to pupils, except in emergencies. Staff members who have volunteered to administer asthma medicines will be insured by the school's appropriate level of insurance which includes liability cover relating to the administration of medication.

Staff will administer the asthma medicines in line with the school's Supporting Pupils with Medical Conditions Policy. For pupils who are old enough and/or have sufficient capabilities and independence to do so, staff members' roles in administering asthma medication will be limited to supporting pupils to take the medication on their own.

This policy is predominantly for the use of reliever inhalers. The use of preventer inhalers is very rarely required at school. In the instance of a preventer inhaler being necessary, staff members may need to remind pupils to bring them in or remind the pupil to take the inhaler before coming to school.

4. Emergency Inhaler

The school keeps a spare salbutamol inhaler for use in emergencies when a pupil's own inhaler is not available. These are kept in the school's emergency asthma kit.

The emergency asthma kit contains the following:

- A salbutamol metered dose inhaler
- Two plastic, compatible spacers
- Instructions on using the inhaler and spacer
- Instructions on cleaning and storing the inhaler
- The manufacturer's information
- A checklist, identifying inhalers by their batch number and expiry date
- A list of pupils with parental consent and a copy of School Asthma Cards or Individual Healthcare Plans permitting them to use the emergency inhaler
- A record of administration showing when the inhaler has been used

The school buys its supply of salbutamol inhalers from a local pharmacy. The emergency inhaler should only be used by pupils, for whom written parental consent has been received and who have been either diagnosed with asthma or prescribed an inhaler as reliever medication. Parental consent for the use of an emergency inhaler should form part of any pupil with asthma's School Asthma Card.

When not in use, emergency inhalers are stored **<u>in the school office</u>** in the temperate conditions specified in the manufacturer's instructions, out of reach and sight of pupils, but not locked away.

Expired or used-up emergency inhalers are returned to a local pharmacy to be recycled. Spacers must not be reused in school, but may be given to the pupil for future home-use. Emergency inhalers may be reused, provided that they have been properly cleaned after use.

In line with the school's Supporting Pupils with Medical Conditions Policy and First Aid Policy, appropriate support and training will be provided for relevant staff, e.g. first aid staff, on the use of the emergency inhaler and administering the emergency inhaler.

Whenever the emergency inhaler is used, the incident must be recorded in the corresponding record of administration and the school's records. The records will indicate where the attack took place, how much medication was given, and by whom. The pupil's parents will be informed of the incident via the completion of an accident form and also by a telephone call.

A designated staff member is responsible for overseeing the protocol for the use of the emergency inhaler, monitoring its implementation, and maintaining an asthma register.

The designated staff member who oversees the supply of salbutamol inhalers is responsible for:

- Checking that inhalers and spacers are present and in working order, with a sufficient number of doses, on a monthly basis.
- Ensuring replacement inhalers are obtained when expiry dates are approaching.
- Ensuring replacement spacers are available following use.
- Ensuring that plastic inhaler housing has been cleaned, dried and returned to storage following use, and that replacements are available where necessary.

5. Symptoms of an asthma attack

Members of staff will look for the following symptoms of asthma attacks in pupils:

- Persistent coughing (when at rest)
- Shortness of breath (breathing fast and with effort)
- Wheezing
- Nasal flaring
- Complaints of tightness in the chest
- Being unusually quiet
- Difficulty speaking in full sentences

Younger pupils may express feeling tightness in the chest as a 'tummy ache'.

6. Response to an asthma attack

In the event of an asthma attack, staff will follow the procedure outlined below:

- Keep calm and encourage pupils to do the same.
- Encourage the pupil to sit up and slightly forwards do not hug them or lie them down. It can help to open their lungs more if they raise them arms in front of them
- If necessary, call another member of staff to retrieve the emergency inhaler do not leave the affected pupil unattended.
- If necessary, summon the assistance of a member of suitably trained first aid staff to care for the pupil and help administer an emergency inhaler.
- Ensure the pupil takes two puffs of their reliever inhaler (or the emergency inhaler) immediately, preferably through a spacer.
- Ensure tight clothing is loosened.
- Reassure the pupil.

Staff will not administer any medication where they have not been trained to do so.

If there is no immediate improvement, staff will continue to ensure the pupil takes 2 puffs of their reliever inhaler every two minutes, until their systems improve, but only up to a **maximum of 10 puffs**. If there is no improvement before the pupil has reached 10 puffs:

- Call 999 for an ambulance.
- If an ambulance does not arrive within 10 minutes, the pupil can administer another 10 puffs of the reliever inhaler as outlined above.

Staff will call 999 immediately if:

- The pupil is too breathless or exhausted to talk.
- The pupil is going blue.
- The pupil's lips have a blue or white tinge.
- The pupil has collapsed.
- You are in any doubt.

7. Emergency procedures

Staff will never leave a pupil having an asthma attack unattended. If the pupil does not have their inhaler to hand, staff will send another member of staff or pupil to retrieve their spare inhaler. In an emergency situation, members of school staff are required to act like a 'prudent parent', i.e. making careful and sensible parental decisions intended to maintain the child's health, safety and best interests.

As reliever medicine is very safe, staff will be made aware that the risk of pupils overdosing on reliever medicine is minor. Staff will send another pupil to get another member of staff if an ambulance needs to be called. The pupil's parent will be contacted immediately after calling an ambulance.

A member of staff should always accompany a pupil who is taken to hospital by ambulance and stay with them until their parent arrives. Generally, staff will not take pupils to hospital in their own car unless in exceptional circumstances, e.g. where a pupil is in need of professional medical attention and an ambulance cannot be procured.

In these exceptional circumstances, the following procedure will be followed in line with the First Aid Policy:

- A staff member will call the pupil's parents as soon as is reasonably practical to inform them of what has happened, and the course of action being followed parental consent is not required to acquire medical attention in the best interests of the child.
- The staff member will be accompanied by one other staff member, preferably a staff member with first aid training.
- Both staff members will remain at the hospital with the pupil until their parent arrives.

8. Record keeping

At the beginning of each school year, or when a child joins the school, parents are asked to inform the school if their child has any medical conditions, including asthma, on their enrolment form.

The school keeps a record of all pupils with asthma, complete with medication requirements, in its asthma register. Parents will be required to inform the school of any changes to their child's condition or medication during the school year.

All emergency situations will be recorded, and staff practice evaluated, in line with the First Aid Policy.

9. Exercise and physical activity

Games, activities and sports are an essential part of school life for pupils. All teachers will know which pupils in their class have asthma and will be aware of any safety requirements.

Outside suppliers of sports clubs and activities are provided with information about pupils with asthma taking part in the activity either via the school's asthma register or direct from the parents.

Pupils with asthma are encouraged to participate fully in PE lessons when they are able to do so. Pupils whose asthma is triggered by exercise will be allowed to use their reliever inhaler prior to exercise.

If it is cold or damp outside when participating in an activity outdoors pupils with asthma may wish to wrap a scarf loosely over their nose and mouth to warm up the air before it gets to their airways to help with their asthma.

Some children may find their asthma is triggered by cold or damp weather, if this is the case it may help to wear a scarf loosely around their nose and mouth to warm the air. This stops the airways getting a shock of cold air, which can trigger asthma symptoms. Breathing in through the nose instead of the mouth also warms up the air as it is breathed in.

During sports, activities and games, each pupil's labelled inhaler will be kept in a box at the site of the activity. Classroom teachers will follow the same guidelines as above during physical activities in the classroom.

The school believes sport to be of great importance and utilises out-of-hours sports clubs to benefit pupils and increase the number of pupils involved in sport and exercise. Pupils with asthma are encouraged to become involved in out-of-hours sport as much as possible and will never be excluded from participation. Members of school staff and contracted suppliers will be aware of the needs of pupils with asthma during these activities and adhere to the guidelines outlined in this policy.

10. Monitoring and review

The effectiveness of this policy will be monitored continually by the headteacher. Any necessary amendments may be made immediately. The Local Academy Board will review this policy annually.

Any changes made to this policy will be communicated to staff, pupils, parents and other relevant stakeholders.

Asthma			
To be filled in by the parent/c	arer	Does your child tell you when he/she needs medicine?	
Child's name		Yes No	
		Does your child need help taking his/her asthma medicines?	
Date of birth		Yes No What are your child's triggers (things that make their	
Address		asthma worse)?	
		Pollen Stress	
Parent/carer's		Exercise Weather	
Telephone - home		Cold/flu Air pollution	
Telephone -		If other please list	
Email			
Doctor/nurse's	1		
name Doctor/nurse's			
telephone		Does your child need to take any other asthma medicines while in the school's care?	
	s school. Review the card at least er to update or exchange it for	Yes No	
	treatment changes during the	If yes please describe	
	rs should be clearly labelled with	Medicine How much and when take	0
	t in agreement with the school's		
DOUCV -			
policy.			
Reliever treatment whe		Dates card checked	_
Reliever treatment whe For shortness of breath, su	udden tightness in the chest,	Dates card checked Date Name Job title Signature / Stan	np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a	udden tightness in the chest,		np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre	udden tightness in the chest, allow my child to take the eatment and as soon as they feel		np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre	udden tightness in the chest, allow my child to take the eatment and as soon as they feel		np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r	udden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity.		np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r	udden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity.	Date Name Job title Signature / Stan	np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r	udden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity.		np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine	alden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer	Date Name Job title Signature / Stan Image: Date Image: Date Image: Date Image: Date Image: Date Image: Date	np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine	udden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature	Date Name Job title Signature / Stand Date Name Job title Signature / Stand To be completed by the GP practice What to do if a child is having an asthma attack	np
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this.	alden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer	Date Name Job title Signature / Stand Image: Date Image: D	
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this.	adden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to	Date Name Job title Signature / Stand Date Name Job title Signature / Stand To be completed by the GP practice What to do if a child is having an asthma attack	
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this.	adden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to	Date Name Job title Signature / Stand Date Name Job title Signature / Stand Date Image: Signature / Stand Image: Signature / Stand To be completed by the GP practice To be completed by the GP practice What to do if a child is having an asthma attack Image: Help them sit up straight and keep calm. Help them take one puff of their reliever inhaler (usually every 30-60 seconds, up to a maximum of 10 puffs. Image: Call 999 for an ambulance if: Image: Call 999 for an ambulance if:	blue)
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this.	adden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to	Date Name Job title Signature / Stan Date Name Job title Signature / Stan To be completed by the GP practice To be completed by the GP practice What to do if a child is having an asthma attack Help them sit up straight and keep calm. Help them take one puff of their reliever inhaler (usually every 30-60 seconds, up to a maximum of 10 puffs.	blue)
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to n Medicine If the school holds a centra for use in emergencies, I g use this. Parent/carer's signature	adden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to	Date Name Job title Signature / Stand Date Name Job title Signature / Stand Date Date Date Date Signature / Stand Date D	blue)
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this. Parent/carer's signature Expiry dates of medicines	alden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to Date	Date Name Job title Signature / Stand Date Name Job title Signature / Stand Date Image: Signature / Stand Image: Signature / Stand To be completed by the GP practice To be completed by the GP practice What to do if a child is having an asthma attack Image: Help them sit up straight and keep calm. Help them take one puff of their reliever inhaler (usually levery 30-60 seconds, up to a maximum of 10 puffs. Image: Call 999 for an ambulance if: Image: their symptoms get worse while they're using their inhat this could be a cough, breathlessness, wheeze, tight cheir stand	blue)
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this. Parent/carer's signature Expiry dates of medicines	adden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to	Date Name Job title Signature / Stand Date Name Job title Signature / Stand Date Image: Signature / Stand Image: Signature / Stand Date Image: Signature / Stand Image: Signature / Stand To be completed by the GP practice Image: Signature / Stand Image: Signature / Stand To be completed by the GP practice Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Stand Image: Signature / Signa	blue)
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this. Parent/carer's signature Expiry dates of medicines	alden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to Date	Date Name Job title Signature / Stand Image: Completed by the GP practice Image: Completed by the GP practice What to do if a child is having an asthma attack Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by	blue)
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this. Parent/carer's signature Expiry dates of medicines	alden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to Date	Date Name Job title Signature / Stand Image: Completed by the GP practice To be completed by the GP practice What to do if a child is having an asthma attack Mean asthma attack Image: Help them sit up straight and keep calm. Help them take one puff of their reliever inhaler (usually levery 30-60 seconds, up to a maximum of 10 puffs. Image: Completed by the GP practice Call 999 for an ambulance if: Image: their symptoms get worse while they're using their inhat this could be a cough, breathlessness, wheeze, tight che sometimes a child will say they have a 'tummy ache' Image: they don't feel better after 10 puffs Image: you're worried at any time. You can repeat step 2 if the ambulance is taking longer the 15 minutes.	blue) aler - est or
wheeze or cough, help or a medicines below. After tree better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this. Parent/carer's signature Expiry dates of medicines Medicine Expiry Date	alden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to Date Date checked Parent/carer's signature	Date Name Job title Signature / Stan Image: Completed by the GP practice To be completed by the GP practice What to do if a child is having an asthma attack Image: Completed by the GP practice Image: Completed by the GP practice What to do if a child is having an asthma attack Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the GP practice Image: Completed by the graph of the completed by the graph o	blue) aler - est or
Reliever treatment whe For shortness of breath, su wheeze or cough, help or a medicines below. After tre better they can return to r Medicine If the school holds a centra for use in emergencies, I g use this. Parent/carer's signature Expiry dates of medicines	alden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to Date	Date Name Job title Signature / Stand Image: Completed by the GP practice To be completed by the GP practice What to do if a child is having an asthma attack Mean asthma attack Image: Help them sit up straight and keep calm. Help them take one puff of their reliever inhaler (usually levery 30-60 seconds, up to a maximum of 10 puffs. Image: Completed by the GP practice Call 999 for an ambulance if: Image: their symptoms get worse while they're using their inhat this could be a cough, breathlessness, wheeze, tight che sometimes a child will say they have a 'tummy ache' Image: they don't feel better after 10 puffs Image: you're worried at any time. You can repeat step 2 if the ambulance is taking longer the 15 minutes.	blue) aler sst or ban
Reliever treatment whe For shortness of breath, sumplicities of breath, sumplicities of breath, sumplicities of the school helds. Medicine Medicine If the school holds a centration of the school holds. If the school holds a centration of the school holds a centration of the school holds a centration of the school holds. If the school holds a centration of the school holds. If the school holds a centration of the school holds a centration of the school holds. Parent/carer's signature If the school holds a centration of the school holds. Expiry dates of medicines Medicine Medicine Expiry Date In the school holds is the school holds. In the school holds. In the school holds. Expiry dates of medicines In the school holds. In the school holds.	alden tightness in the chest, allow my child to take the eatment and as soon as they feel normal activity. Parent/carer's signature al reliever inhaler and spacer ive permission for my child to Date Date checked Parent/carer's signature	Date Name Job title Signature / Stan Image: Date Image: Date Signature / Stan Image: Date Image: Date Image: Date	blue) blue blue blue blue blue blue blue blue